

U. S. PLANT PATENT APPLICATION OF

USHIO SAKAZAKI

FOR: CALIBRACHOA PLANT NAMED

‘USCALI4’

SAKAZAKI, Ushio

TITLE: CALIBRACHOA PLANT NAMED 'USCALI4'

APPLICANT: USHIO SAKAZAKI

BOTANICAL CLASSIFICATION/CULTIVAR DESIGNATION:

Calibrachoa sp. cultivar USCALI4

5 BACKGROUND OF THE INVENTION

The present Invention relates to a new and distinct cultivar of Calibrachoa plant, botanically known as *Calibrachoa* sp., and hereinafter referred to by the cultivar name 'USCALI4'.

10 The new Calibrachoa is a product of a planned breeding program conducted by the Inventor in Hikone, Shiga, Japan . The objective of the program is to create new heat-tolerant and disease-resistant Calibrachoa cultivars with desirable plant habit and attractive flower colors.

15 The new Calibrachoa originated from a cross-pollination made by the Inventor on May 10, 1998 of a proprietary seedling selection of Calibrachoa identified as code number CJ4-5, not patented, as the female, or seed, parent with a proprietary seedling selection of Calibrachoa identified as code number CJ3-1, not patented, as the male, or pollen, parent. The new Calibrachoa was selected by the Inventor on June 15, 1999 in a controlled environment in Gensingen, Germany.

Asexual reproduction of the new cultivar by terminal cuttings taken in a controlled environment in Gensingen, Germany since June 25, 1999, has shown that the unique features of this new Calibrachoa are stable and reproduced true to type in successive generations.

5 SUMMARY OF THE INVENTION

Plants of the cultivar USCALI4 have not been observed under all possible environmental conditions. The phenotype may vary somewhat with variations in environment such as temperature, light intensity, daylength, water status and fertility level without, however, any variance in genotype.

The following traits have been repeatedly observed and are determined to be the unique characteristics of 'USCALI4'. These characteristics in combination distinguish 'USCALI4' as a new and distinct cultivar of Calibrachoa:

- 15
1. Semi-upright to eventually cascading plant habit.
 2. Freely branching habit.
 3. Freely flowering habit.
 4. Large violet-colored flowers.
 5. Good weather tolerance; tolerant to rain and low and high
- 20 temperatures.

6. Resistant to *Thielaviopsis*.

Plants of the new Calibrachoa differ primarily from plants of the parent selections in plant habit as plants of the female selection are more upright than plants of the new Calibrachoa and plants of the male parent are more creeping than plants of the new Calibrachoa.

Plants of the new Calibrachoa can be compared to plants of the cultivar Million Bells Trailing Blue, not patented. In side-by-side comparisons conducted in Gensingen, Germany, plants of the new Calibrachoa had a more upright plant habit and larger flowers than plants of the cultivar Million Bells Trailing Blue.

Plants of the new Calibrachoa can also be compared to plants of the cultivar Colorburst Blue, not patented. In side-by-side comparisons conducted in Gensingen, Germany, plants of the new Calibrachoa had a more upright plant habit and larger flowers than plants of the cultivar Colorburst Blue.

BRIEF DESCRIPTION OF THE PHOTOGRAPHS

The accompanying colored photographs illustrate the overall appearance of the new cultivar, showing the colors as true as it is reasonably possible to obtain in colored reproductions of this type. Colors in the photographs may differ slightly from the color values cited

SAKAZAKI, Ushio

in the detailed botanical description which accurately describe the colors of the new *Calibrachoa*. The photograph at the bottom of the sheet comprises a side perspective view of a typical plant of 'USCALI4' grown in a container. The photograph at the top of the sheet is a close-up view
5 of typical flowers and leaves of 'USCALI4'.

DETAILED BOTANICAL DESCRIPTION

In the following description, color references are made to the Royal Horticultural Society Colour Chart, 1995 Edition, except where general terms of ordinary dictionary significance are used. Plants grown in 15-cm
10 containers for about ten weeks were used for the aforementioned photographs and following description. Plants were grown under conditions which closely approximate commercial production conditions during the winter in Bonsall, California in a polyethylene-covered greenhouse. During the production period, day temperatures ranged from
15 18 to 35°C and night temperatures ranged from 10 to 21°C. Plants were grown under artificial long day/short night conditions to initiate flowering.

SAKAZAKI, Ushio

BOTANICAL CLASSIFICATION:

Calibrachoa sp. cultivar USCALI4.

PARENTAGE:

5 Female, or seed, parent: Proprietary seedling selection of
 Calibrachoa sp. identified as code number CJ4-5, not patented.

 Male, or pollen, parent: Proprietary seedling selection of
 Calibrachoa sp. identified as code number CJ3-1, not patented.

PROPAGATION:

 Type cutting: Terminal vegetative cuttings.

10 Time to initiate and develop roots:

 Summer: About three weeks at 20°C.

 Winter: About four weeks at 20°C.

 Root description: Fine, freely-branching; whitish in color.

PLANT DESCRIPTION:

15 Form/habit: Annual flowering plant; initially upright to semi-
 upright, eventually somewhat cascading; uniformly mounded
 appearance. Moderate growth rate; vigorous.

 Usage: Appropriate for hanging baskets, window boxes and patio
 containers.

20 Plant height (from soil level to top of plant plane): About 7 cm.

SAKAZAKI, Ushio

Plant diameter (area of spread): About 30 cm.

Branching habit: Freely branching, about 16 lateral branches per plant; pinching is typically not required.

Lateral branch description:

5 Length: About 15 cm.

Diameter: About 2 mm.

Internode length: About 1.6 cm.

Texture: Pubescent; minute hairs.

Color: 144A.

10 Foliage description:

Arrangement: Alternate until flowering, then opposite; simple.

Length: About 3.5 cm.

Width: About 1.5 cm.

15 Shape: Elliptic.

Apex: Broadly acute to rounded.

Base: Attenuate.

Margin: Entire.

20 Texture, upper and lower surfaces: Slightly coarse; pubescent, minute hairs.

SAKAZAKI, Ushio

Venation pattern: Pinnate; arcuate.

Color:

Developing foliage, upper and lower surfaces: 144A.

Fully expanded foliage, upper surface: 147A.

5 Fully expanded foliage, lower surface: 147B.

Venation, upper and lower surfaces: 147B.

Petiole:

Length: About 8 mm.

Diameter: About 1.5 mm.

10 Color: 144C.

FLOWER DESCRIPTION:

Flower type and habit: Flowers face mostly outwardly; single, axillary; salverform. Flowers persistent. Freely flowering habit, about 11 to 15 flower buds and open flowers per lateral stem.

15 Flowers not fragrant.

Natural flowering season: April to October in Southern California; flowering continuous during this period.

Time to flower: Early flowering; plants begin flowering about four to six weeks after planting.

20 Flower longevity on the plant: About seven to ten days.

SAKAZAKI, Ushio

Flower size:

Diameter: About 2.6 cm.

Tube length: About 2.8 cm.

Flower buds:

5 Length: About 2 cm.

Diameter: About 5 mm.

Shape: Elongated oblong.

Color: 195A.

Corolla:

10 Arrangement/appearance: Single whorl of five petals, fused
into flared trumpet.

Petal length from throat: About 1 cm.

Petal width: About 1.4 cm.

Petal shape: Roughly spatulate to obovate.

15 Petal apex: Obtuse; slightly cleft.

Petal margin: Entire.

Petal texture, upper and lower surfaces: Smooth, glabrous;
satiny.

SAKAZAKI, Ushio

Color:

- 5 Petal, when opening, upper surface: Brighter than 77A.
- Petal, when opening, lower surface: More gray than 85A.
- Petal, opened flower, upper surface: 83C.
- Petal, opened flower, lower surface: More gray than 86D.
- 10 Flower throat (inside): 1A.
- Flower tube (outside): More gray than 86D.

Sepals:

- Arrangement/appearance: Single whorl of five sepals, fused at base; star-shaped.
- Length: About 1.7 cm.
- 15 Width: About 3 mm.
- Shape: Lanceolate; slightly reflexed.
- Apex: Broadly acute.
- Margin: Entire.
- Texture, upper and lower surfaces: Smooth, glabrous.
- 20 Color, upper and lower surfaces: 144A.

SAKAZAKI, Ushio

Peduncles:

Length: About 1.8 cm.

Width: About 1 mm.

Strength: Strong.

5 Angle: About 45° from stem axis.

Texture: Glabrous, smooth.

Color: 144A.

Reproductive organs:

Stamens:

10 Quantity: Five per flower.

Anther shape: Oval.

Anther length: Less than 1 mm.

Anther color: 10B.

Pollen amount: Scarce.

15 Pollen color: 12A.

Pistils:

Quantity: One per flower.

Pistil length: About 1 cm.

Stigma shape: Rounded.

20 Stigma color: 145A.

SAKAZAKI, Ushio

Style length: About 8 mm.

Style color: 145D.

Ovary color: 145D.

Seed/fruit: Seed and fruit production has not been observed.

5 DISEASE/PEST RESISTANCE:

Plants of the new Calibrachoa have been noted to be resistant to *Thielaviopsis*. Plants of the new Calibrachoa have not been noted to be resistant to other pathogens and pests common to Calibrachosas.

10 WEATHER/TEMPERATURE TOLERANCE:

Plants of the new Calibrachoa are tolerant to rain and wind and have been observed to tolerate temperatures from -4 to 38°C.